



Republic of the Philippines

CARAGA STATE UNIVERSITY

Ampayon, Butuan City 8600, Philippines

Competence Service Uprightness

PROCUREMENT OFFICE

NOTICE OF AWARD

May 08, 2024

POWER ON ENTERPRISE CO.

J.C. Aquino Ave., Purok 2, Imadejas, Butuan City, ADN

Dear Sir / Madam:

We are happy to notify you that the PROVISION OF SEMI-EXPENDABLE-TECHNICAL AND SCIENTIFIC AND ICT EQUIPMENT FOR THE OPERATION OF MANAGEMENT INFORMATION SYSTEM AND ID FEE.IGF-164-24-03-19 is hereby awarded you as the bidder with the Lowest Calculated and Responsive Quotation at a Contract Price of Equivalent to EIGHT HUNDRED THIRTY-EIGHT THOUSAND SIX HUNDRED SIXTY PESOS ONLY. (Php. 838,660.00).


QTY	Unit	Description	BID PRICE	TOTAL PRICE
1	LOT	AUDIO INTERFACE, *Max Sample Rate / Resolution: 48 kHz / 24-Bit - Analog I/O: 1 x Combo XLR / 1/4" Mic/Line Input1 x 1/4" (6.3mm) Hi-Z Input1 x Stereo RCA Output1 x 1/4" TRS Headphone Output - Phantom Power; +48 V - Digital Audio Sample Rates: Up to 48 KHz, Latency: Zero-Direct monitoring - Compatible with Mac, Xp to Latest. UNIT: UNIT, QUANTITY: 2	838,660.00	838,660.00
		CABLE, *FTTH DROP CABLE - 2000m 2KM Single Core 3 Steel Wire outdoor FTTH fiber optic Drop Wire Cable. UNIT: ROLL, QUANTITY: 1		
		CLAMP, *Fiber Optic Cable Anchoring Clamp S-Type - Material: Plastic and Metal - For FTTH. UNIT: PIECE, QUANTITY: 100		
		CMOS BATTERY, *3v, lithium cell, CR2032 UNIT: PIECE, QUANTITY: 50		
		COMPUTER MONITOR, *Frame Rate: 144Hz Sync Technology: FreeSync Premium Contrast Ratio: 3000:1 Resolution: 1920 x 1080 Response Time: 1MS (MPRT) Display Screen Size (Class): 24 Flat / Curved: Flat Active Display Size (HxV) (mm): 527.04mm x 296.46mm Aspect Ratio: 16:9 Panel Type: VA Brightness (Typical): 250 cd/Contrast Ratio Static: 3,000:1(Typ.) Dynamic Contrast Ratio: Mega Resolution: 1,920 x 1,080 Viewing Angle (H/V): 178½(H)/178½(V) Color Support: Max 16.7M Refresh Rate: Max 144Hz Interface Display Port: 1 EA Display Port Version: 1.2 HDMI: 1 EA HDMI Version: 2.0 Headphone: Yes Monitor: have HAS, Tilt, Swivel, Pivot Wall Mount: 100.0 x 100.0 Accessory Power Cable Length: 1.5 m DP Cable: Yes. Offer:SAMSUNG UNIT: UNIT, QUANTITY: 8		

CONNECTOR, *Connector - Butterfly Type - SC/UPC - Locking Tool - Flop Cover - Cable Buckle - Slider - Length Control Jig - Field installable connector (SC) consist of the following

P.O. #: IGF-164-24-05-66

Please acknowledge receipt and acceptance of this notice by signing both copies in the space provided below. keep one copy and return the other to Caraga State University

Very truly yours,


ROLYN C. DAGUIL, Ph.D
University President

I acknowledge receipt of this Notice on: _____
Name of the Representative of the Bidder: _____
Authorized Signature: _____

Project Reference number: 10688644

Name of Project: PROVISION OF SEMI-EXPENDABLE-TECHNICAL AND SCIENTIFIC AND ICT EQUIPMENT FOR THE OPERATION OF MANAGEMENT INFORMATION SYSTEM AND ID FEE.IGF-164-24-03-19

Location of Project: Caraga State University



PHONE: 0917 707 8713 Loc. 248 | EMAIL: csuprourement@cersu.edu.ph



PROCUREMENT OFFICE

Project Reference number: **10688644**

Name of Project: **PROVISION OF SEMI-EXPENDABLE-TECHNICAL AND SCIENTIFIC AND ICT EQUIPMENT FOR THE OPERATION OF MANAGEMENT INFORMATION SYSTEM AND ID**
FEE.IGF-164-24-03-19

Location of Project: **Caraga State University**



PHONE: 0917 707 8713 Loc. 248 | EMAIL: csuprourement@carsu.edu.ph


NOTICE OF AWARD

QTY	Unit	Description	BID PRICE	TOTAL PRICE
		components - FAST-Connector (for Drop/Indoor Cable/Low Friction Indoor Cable) - Free stripper and guide every 10 pcs per pack. UNIT: PACK, QUANTITY: 60		
		CONNECTOR, *RJ 45 Stranded Modular Connectors high quality 50 micron Gold plating -Gold-plated contacts provide reliable performance for a Gigabit Ethernet-rated network -Works with most RJ45 Crimp Tools -Used for Computer Networking, 100 pcs per box. Offer: KARTEL RJ45 UNIT: BOX, QUANTITY: 20		
		CONNECTOR, *RJ 45- CAT 6 - 23 AWS to 26 AWS - Tool Free - Reusable - Gold Plated - Speed up to Gbps, 250 Mhz, 10 pcs per pack. UNIT: PACK, QUANTITY: 11		
		CONVERTER, *HDMI Signal Amplifier Extender - Gold-plated - Resolution: 4K@60Hz - Transmission Speed: 18Gbps - Transmission Distance: 60M - Shell: ABS - Chip: SI9575 - Power Supply: 5V/1A - Packing: PE Bag - Accessories: USB Charging Cable - Pair TX/RX". UNIT: PIECE, QUANTITY: 4		
		CONVERTER, *Media Converter - A/B Pair, 3KM - 1310nm A side and one piece 1550nm B Side - EU power adapter - 1000Base-T and 1000Base-SX/LX - 1*1.25Gbps full-duplex fiber port and 1*1000M Ethernet port - Support 9K Jumbo Packet - Support direct forwarding mode, which support less time delay - Support isolation protection function, good data security - Auto-negotiation low power consumption chips to ensure very longtime and stable operation - Tx1310nm/Rx1550nm - Single Fiber/Single Mode/ SC - Fully Complies with IEEE802.3 10Base-T, IEEE802.3u 100Base-TX/IEEE802.3u 100Base-FX, IEEE802.3z 1000Base-FX Standard. - Auto-detection of half/full duplex transfer mode for Tx port - Auto-negotiation of 10/100/1000Mbps rate and Auto-MDI/MDIX for Tx port - Provide switch configuration of half/full duplex transfer mode for Fx port - Extend fiber distance up to 2km for single-mode fiber - 6 LED display for Power, FDX/Col, FX (Link/Act), TX (Link/Act), FX 1000, TX 100 - Easy-to-view LED indicators provides status to easily monitor network activity. UNIT: PAIR, QUANTITY: 4		
		CONVERTER, *Micro Hdmi to HDMI *1. Support Max 4K 60Hz, 1440p, 1080p, 1080i, 720p, 480p and 480i Resolution *2. Support 3D, Ethernet Channel and Audio Return Channel *3. Support True HD Dolby 7.1 and DTS-HD Master Audio *4. Compatible with many micro HDMI port devices (such as GoPro Hero 7 Black, Hero 6 Black, Sony a5000 handycam, Lenovo IdeaPad Miix 300 10" UNIT: PIECE, QUANTITY: 3		
		CONVERTER, *Type-C to USB3.0, 3+HDMI 4K+TF+SD+RJ45 Gigabit LAN +PD (Type-C)+Audio (3.5mm)+VGA (1080P) - HDMI port-4K UHD (3840x2160@30Hz) - VGA port-HD (1920x1080@60Hz) - USB3.0. UNIT: PIECE, QUANTITY: 8		

P.O. #: IGF-164-24-05-66

Please acknowledge receipt and acceptance of this notice by signing both copies in the space provided below. keep one copy and return the other to Caraga State University

Very truly yours,


ROLYN C. DAGUIL, Ph.D.
University President

I acknowledge receipt of this Notice on: _____
Name of the Representative of the Bidder: _____
Authorized Signature: _____



PROCUREMENT OFFICE

Project Reference number: 10688644

Name of Project: PROVISION OF
 SEMI-EXPENDABLE-TECHNICAL AND
 SCIENTIFIC AND ICT EQUIPMENT FOR
 THE OPERATION OF MANAGEMENT
 INFORMATION SYSTEM AND ID
 FEE.IGF-164-24-03-19

Location of Project: Caraga State University



PHONE: 0917 707 8713 Loc. 248 | EMAIL: csuprourement@carsu.edu.ph

NOTICE OF AWARD


QTY	Unit	Description	BID PRICE	TOTAL PRICE
		CONVERTER, *VGA to HDMI full HD video 1080P audio converter box adapter for PC, Laptop, DVD, and TV, high quality.		
		Offer: VENTION UNIT: PIECE, QUANTITY: 2		
		CRIMPING TOOL, *With 6p, 8p, 4p, compatible for RJ45. UNIT: PIECE, QUANTITY: 2		
		EARPHONE, *Must be Compatible with Baofeng 2 Pin - Mic Headset Earpiece Ear Hook Earphone For Two Way Radio Walkie Talkie K Plug 888S 5R Specification: Compatible with: almost all the brand two way radio, such as for Baofeng UV-5R series, UV-5R, UV-5RA, UV-5RE, BF-888s, GT-3, etc. and WLN Kenwood Cignus Two Way Radio Walkie Talkie Size: 90*60mm. UNIT: PIECE, QUANTITY: 10		
		HDMI CABLE, *1.5 meters UNIT: PIECE, QUANTITY: 8		
		HDMI REPEATER, *30 Meters HDMI Signal Relay Extender (Front End Is Connected To 10 Meters HDMI Cable, Rear End Is Connected To 20 Meters HDMI Cable). *Extend Transmission Distance, Unlimited Signal Transmission. *4k 30HZ High-Definition Resolution, Video Audio Synchronization. Transmission, Clear And Sharp Images. *No Power Supply Required, Plug And Play. *ABS Plastic. UNIT: PIECE, QUANTITY: 4		
		HDMI SPLITTER, *1 In 8 Out HDMI Splitter *TYPE:HDMI Female *Input Interface:1*HDMI Output *Interface:8*HDMI *Version:HDMI1.4 *Interface Technology:Gold-plated *Resolution:4K 30Hz,Backward *Compatible Shell Material:Aluminum *Shell Chip:IE6662 *Power Supply Interface:3.5*1.35mm,DC 5V/2A *PACKING:Box 1 in 8 HDMI Splitter Perfect for Duplicating 1 HDMI *Input Signal to 8 Monitors or TV 4K Display Screens, HDMI Splitter 1 *1 in 8 out 4K Supports max 4K@30Hz resolution Experience *UHD visual feast 30m long Distance transmission Built-in signal *amplifier , with 24AWG HDMI cable, can achieve 15m front end 15m *long distance stable transmission UNIT: PIECE, QUANTITY: 1		

HDMI SPLITTER, *Input port: 1 HDMI.

P.O. #: IGF-164-24-05-66

Please acknowledge receipt and acceptance of this notice by signing both copies in the space provided below. keep one copy and return the other to Caraga State University

Very truly yours,


ROLYN C. DAGUIL, Ph.D
 University President

I acknowledge receipt of this Notice on: _____
 Name of the Representative of the Bidder: _____
 Authorized Signature: _____



Republic of the Philippines

CARAGA STATE UNIVERSITY

Ampayon, Butuan City 8600, Philippines

Competence Service Uprightness

PROCUREMENT OFFICE

NOTICE OF AWARD

QTY	Unit	Description	BID PRICE	TOTAL PRICE
-----	------	-------------	-----------	-------------

*Output port: 4 HDMI.

*Auto/smart switching (input video signal: 0.5-1.0 volts p-p input DDC), (signal: 5 volts p-p TTL), maximum single link video range: 1920 x 1200, 1080P output video: HDMI 1.3b+HDCP 1.0/1.1, video format supported: DTV/HDTV 480i/576i/480p/576p/720p/1080i/1080p, HDMI compliance: HDMI 1.3b, video amplifier bandwidth 2.5Gbps/250MHz per color, max bandwidth per display: 7.5Gbps, No power adapter needed, length: 2ft. UNIT: PIECE, QUANTITY: 2

HDMI TO VGA ADAPTER, *Input: HDMI male,

*Output: VGA female,

*Supported Resolutions:

480i/480p/576i/576p/800x600/720i/720p/1280x1024/1600x1200/1080i/1080p,

*Support analog video output up to UXGA and 1080p with 10-bit DAC

Compressed audio such as DTS Digital, Dolby Digital (Includes: DTS-HD and Dolby True HD),

*Vertical frequency range: 50/60Hz,

*HDCP compliant: HDCP 1.2,

*Audio support: No. UNIT: PIECE, QUANTITY: 1

IP PHONE, Offer: GRANDSTREAM GXP1615 UNIT: UNIT, QUANTITY: 2

LAN TESTER, *lan tester

*4-in-1 Remote RJ11 RJ45 USB BNC LAN Network Phone Cable Tester Meter Device Machine UNIT: PIECE, QUANTITY: 2

MAINTENANCE BOX, *For Epson L6270 ecotank. UNIT: PIECE, QUANTITY: 1

MAINTENANCE BOX, *For Epson L6460 A4. UNIT: PIECE, QUANTITY: 1

MEMORY/RAM, *DDR2, 4GB, 1066Mhz, Non-ECC, Unbuffered Memory compatible with P5KPL-AM EPU Motherboard. UNIT: PIECE, QUANTITY: 5

NETWORK SWITCH, *16-Port 10/100/1000 Mbps Desktop Switch EnglishDetail: 16-Port 10/100/1000 Mbps Desktop Switch PORT:16 10/100/1000 Mbps RJ45 Ports SPEC: Desktop Steel Case Support switchover in four modes: 1. Flow Control On 2. Flow Control Off 3.


Port Isolation. When this mode is enabled, ports 1-14 are isolated from each other, and can communicate with ports 15-16. 4. Extend Data Transmission-10Mbps. When this mode is enabled, ports 1-8 have a reduced speed of 10 Mbps, with a transmission distance of up to 250 m. Preferably Ruijie for Compatibility Issues.

Offer: RG-ES116G UNIT: UNIT, QUANTITY: 5

P.O. #: IGF-164-24-05-66

Please acknowledge receipt and acceptance of this notice by signing both copies in the space provided below. keep one copy and return the other to Caraga State University

Very truly yours,


ROLYN C. DAGUIL, Ph.D.
University President

I acknowledge receipt of this Notice on: _____
Name of the Representative of the Bidder: _____
Authorized Signature: _____

Project Reference number: **10688644**

Name of Project: **PROVISION OF SEMI-EXPENDABLE-TECHNICAL AND SCIENTIFIC AND ICT EQUIPMENT FOR THE OPERATION OF MANAGEMENT INFORMATION SYSTEM AND ID FEE.IGF-164-24-03-19**

Location of Project: **Caraga State University**



PHONE: 0917 707 8713 Loc. 248 | EMAIL: csuprourement@carsu.edu.ph



Republic of the Philippines
CARAGA STATE UNIVERSITY
Ampayon, Butuan City 8600, Philippines
Competence Service Uprightness

PROCUREMENT OFFICE

Project Reference number: 10688644
Name of Project: PROVISION OF SEMI-EXPENDABLE-TECHNICAL AND SCIENTIFIC AND ICT EQUIPMENT FOR THE OPERATION OF MANAGEMENT INFORMATION SYSTEM AND ID
FEE.IGF-164-24-03-19
Location of Project: Caraga State University



PHONE: 0917 707 8713 Loc. 248 | EMAIL: csuprourement@carsu.edu.ph

NOTICE OF AWARD

QTY	Unit	Description	BID PRICE	TOTAL PRICE
		NETWORK SWITCH, *LAN Switch - Ports: 48 x 10/100/1000Base-T ports, 4 SFP+ uplink - Switching Capacity: 176 Gbps - MAC Address Table: 16000 - Fan: Single, Left/Right-to-Rear - Layer 2+ - Forwarding rate: 132 Mpps - Max VLAN: 4049 - Port Surge: 6 Kv - warranty: 5 years - LAG: 16 - Preferably Ruijie for Compatibility Issues. Preferably Ruijie for Compatibility Issues. Offer: RG-NBS5200-48GT4XS UNIT: UNIT, QUANTITY: 3		
		NETWORK SWITCH, *Manage Switch.*10/100/1000Base-T ports 24 Ports.*SFP ports 4.*PoE/PoE+ ports 24.*Layer 2.*Switching capacity 56gbps.*Forwarding rate 41.67 gbps.*MAC address table: 8000.*Packet Buffer 4.1.*Maximum VLAN Support 4094.*Jumbo Frame, Flow Control, STP (IEEE 802.1d), RSTP (IEEE 802.1w), Port Fast, VLAN Range, Cloud Management, Loop Prevention, Loop Notification.*5 years warranty. Preferably Ruijie for Compatibility Issues. Offer: RG-NBS3100-24GT4SFP-P-V2 UNIT: UNIT, QUANTITY: 3		
		NETWORK SWITCH, Lan Switch - 24-Port 10/100/1000 Mbps Desktop Switch English Detail: 24-Port 10/100/1000 Mbps Desktop Switch PORT:2410/100/1000 Mbps RJ45 Ports SPEC: Desktop Steel Case Support switchover in four modes: 1. Flow Control On 2. Flow Control Off 3. Port Isolation. When this mode is enabled, ports 1-14 are isolated from each other, and can communicate with ports 15-16. 4. Extend Data Transmission-10Mbps. When this mode is enabled, ports 1-8 have a reduced speed of 10 Mbps, with a transmission distance of up to 250 m. Preferably Ruijie for Compatibility Issues. Offer: RG-ES124GD UNIT: UNIT, QUANTITY: 1		
		PORATABLE DSLR MINI JIB CRANE, Offer: Macphoto Camera Telescopic JIB Crane upto 240cm Load Capacitay : 4kg(full length) Total Length: 243cm Front Crane Arm: 153cm Back Crane Arm: 100cm Net Weight: 4.1kg Jib Tilt Up: No Limit Jib Tilt Down: No Limit Camera Tilt: Yes / By Tripod Head Tripod Require: Video Tripod W/ Head Package Includes: 1 x Telescopic Crane upto		

P.O. #: IGF-164-24-05-66

Please acknowledge receipt and acceptance of this notice by signing both copies in the space provided below. keep one copy and return the other to Caraga State University

Very truly yours,

ROLYN C. DAGUIL, Ph.D
University President

I acknowledge receipt of this Notice on: _____
Name of the Representative of the Bidder: _____
Authorized Signature: _____



Republic of the Philippines

CARAGA STATE UNIVERSITY

Ampayon, Butuan City 8600, Philippines

Competence Service Uprightness

PROCUREMENT OFFICE



PHONE: 0917 707 8713 Loc. 248 | EMAIL: csuprourement@carsu.edu.ph

NOTICE OF AWARD

QTY	Unit	Description	BID PRICE	TOTAL PRICE
		240cm		
		1 x L Bracket for Camera Mount		
		1 x Quick Release Plate		
		1 x L Bracket for Tripod Mount		
		1 x Steel Cable for Tilting		
		1 x Handle Tube		
		2 x Steel Clip for Counter Weights		
		1 x Carrying Bag UNIT: SET, QUANTITY: 1		
		POWER SUPPLY, *Power Supply Unit (PSU)		
		*For computer		
		*Elegant black PSU casing with fully black mesh cables		
		*Compliant with ATX12V Ver. 2.4		
		*Single 12V rail for high compatibility and extreme high current output.		
		*20+4P and CPU 4+4P cable length up to 550mm 1/2 easy reach to all components.		
		*All DC cables with mesh sleeving for optimized airflow and management.		
		*Two PCIe 6+2pin connector for mid-range graphic card.		
		*Up to 7 SATA connectors support multiple of hard drives.		
		*12cm silent black fan with smart thermal fan speed control circuit UNIT: PIECE, QUANTITY: 10		
		PRINTER, Offer: EPSON L6460 UNIT: UNIT, QUANTITY: 1		
		SIGNATURE PAD, Offer: WACOM STU-430		
		Product Dimensions161 x 174 x 11 mm		
		Communication interfaceUSB		
		Power Supplyvia USB		
		Security Lock SlotYes		
		Warranty1 year		
		Screen TypeF-STN, positive reflective		
		Screen Size (Measured Diagonally)4.5" diagonal		
		Screen Dimensions96 x 60 mm		
		Native Resolution320 x 200		
		Reading MethodElectromagnetic resonance (EMR)		
		Pen pressure levels1024		
		Sensor Resolution2540		

P.O. #: IGF-164-24-05-66

Please acknowledge receipt and acceptance of this notice by signing both copies in the space provided below. keep one copy and return the other to Caraga State University

Very truly yours,

ROLYN C. DAGUIL, Ph.D
University President

I acknowledge receipt of this Notice on: _____
Name of the Representative of the Bidder: _____
Authorized Signature: _____



Republic of the Philippines
CARAGA STATE UNIVERSITY
Ampayon, Butuan City 8600, Philippines

Competence Service Uprightness

PROCUREMENT OFFICE



PHONE: 0917 707 8713 Loc. 248 | EMAIL: csprocurement@carsu.edu.ph


NOTICE OF AWARD

QTY	Unit	Description	BID PRICE	TOTAL PRICE
1	pi	Coordinate accuracy \pm 0.5 mm (center)		
1	Battery-free pen	Yes		
1	Cordless pen	Yes		
1	Report Rate	200 pps		
1	Development environments	C++, .Net, and Java SDK/API available for developers	UNIT: UNIT, QUANTITY: 2	
1	SOLID STATE DRIVE (SSD)	*1 TB - Latest SATA 3 controller - 2.5' SATA 3 backwards compatible to SATA 2 - S.M.A.R.T health information supported. - TRIM command supported - Operating Temperature: 0 ~ 70°C - 4K Aligned Random Read: up to 50K IOPs - 4K Aligned Random Write: up to 50K IOPs - Sequential Read (ATTO): up to 520MB/ - Sequential Write (ATTO): up to 430MB/s - O/S Supported: All OS up tp latest - Terabytes Written (TBW): 480TB. UNIT: PIECE, QUANTITY: 4		
1	SOLID STATE DRIVE (SSD)	*512 GB - Latest SATA 3 controller - 2.5' SATA 3 backwards compatible to SATA 2 - S.M.A.R.T health information supported. - TRIM command supported - Operating Temperature: 0 ~ 70°C - 4K Aligned Random Read: up to 50K IOPs - 4K Aligned Random Write: up to 30K IOPs - Sequential Read (ATTO): up to 500MB/ - Sequential Write (ATTO): up to 400MB/s - O/S Supported: all OS to latest - Terabytes Written (TBW): 120TB. UNIT: PIECE, QUANTITY: 16		
1	UNINTERRUPTIBLE POWER SUPPLY (UPS)	*Output power capacity : 1500VA, *Max configurable power: 390 Watts/650VA, *Nominal output voltage: 230V, *Input frequency: 45-65Hz, *Input connections: IEC-320 C14, *Cord length: 1.22 meters, *Input voltage range for main operations: 151-299V. Offer: AWP AID 1500VA UNIT: UNIT, QUANTITY: 6		
1	UTP CABLE	*CAT6, indoor, 305 meters, Ethernet cable.*24 AWG solid bare copper conductors, non-plenum, Polyolefin insulation, twisted pairs, central spline, rip cord. PVC jacket.*Suitable Applications: Premise Horizontal Cable, Gigabit Ethernet, 100BaseTX, 100BaseVG ANYLAN, 155ATM, 622ATM, NTSC/PAL Component or CompositeVideo, AES/EBU, Digital Video, RS-422, 250MHz Category 6. OFFER: BELDEN UNIT: BOX, QUANTITY: 10		
1	VIDEO CAPTURE CARD	* Support HDMI loop		

P.O. #: IGF-164-24-05-66

Please acknowledge receipt and acceptance of this notice by signing both copies in the space provided below. keep one copy and return the other to Caraga State University

Very truly yours,


ROLYN C. DAGUIL, Ph.D.
University President

I acknowledge receipt of this Notice on: _____
Name of the Representative of the Bidder: _____
Authorized Signature: _____



Republic of the Philippines

CARAGA STATE UNIVERSITY

Ampayon, Butuan City 8600, Philippines

Competence Service Uprightness

PROCUREMENT OFFICE

Project Reference number: 10688644

Name of Project: PROVISION OF
SEMI-EXPENDABLE-TECHNICAL AND
SCIENTIFIC AND ICT EQUIPMENT FOR
THE OPERATION OF MANAGEMENT
INFORMATION SYSTEM AND ID
FEE.IGF-164-24-03-19

Location of Project: Caraga State University



PHONE: 0917 707 8713 Loc. 248 | EMAIL: csuprocurement@cersu.edu.ph

NOTICE OF AWARD

QTY	Unit	Description	BID PRICE	TOTAL PRICE
-----	------	-------------	-----------	-------------

out;
 * Support input max resolution 4K/60Hz;
 * Support output max resolution 4K/60Hz;
 * Support USB video capture max resolution 1080P/60Hz;
 * Support AWG26 HDMI standard cable: input up to 5 meters, output up to 5 meters;
 * Support most acquisition software, such as VLC?OBS ?Amcap, etc;
 * Support Windows?Android and MacOS;
 * Conform to USB Video and UVC standard;
 * Conform to USB Audio UAC standard;
 * Compact and portable.
 * HDMI resolution: Max input/output can be 4K/60Hz
 * Support video format: 8/10/12bit Deep color
 * USB video capture format: YUV?JPEG
 * USB video capture resolution: Max output can be 1080P/60Hz
 * Support audio format: L-PCM
 * Input cable distance: =5m, AWG26 HDMI standard cable
 * Output cable distance: =5m, AWG26 HDMI standard cable
 * Max working current: 0.7A/5VDC
 * Operating Temperature range:(-10 to +55?) UNIT: PIECE, QUANTITY: 1

WIRELESS ROUTER, *3200Mbps Wi-Fi 6 Dual-band Gigabit Mesh Router

*EnglishDetail: 3200Mbps Wi-Fi 6 Dual-band Gigabit Mesh Router*enterprise-grade chip solution; Gigabit broadband access; Dual-core four-*thread CPU; Support for hardware NAT; Concurrent access up to 64 (recommended) terminals and 192 for daily using; Wireless access: dual-*band 3200Mbps, Wired access: 5 Gigabit ports, including 1 WAN port and *4 LAN ports; Support for 802.11ax protocol; Mesh technology for multi-*device; Support Seamless roaming of Wi-Fi signals 4+4 independent high-*performance signal amplifiers(FEM); Parental Control, Smart Home Wi-Fi *Management via Cloud App and Router App on mobile phones UNIT: UNIT, QUANTITY: 2

XXXXXXXXX NOTHING FOLLOWS XXXXXXXX

TOTAL AMOUNT:

838,660.00

P.O. #: IGF-164-24-05-66

Please acknowledge receipt and acceptance of this notice by signing both copies in the space provided below. keep one copy and return the other to Caraga State University

Very truly yours,

ROLYN C. DAGUIL, Ph.D
University President

I acknowledge receipt of this Notice on: _____
 Name of the Representative of the Bidder: _____
 Authorized Signature: _____